



The
right
choice

SoihenzTM

Acetyl Cysteine 150 mg + Taurine 500 mg

La Renon[®]

Soihenz™

Acetyl Cysteine 150 mg + Taurine 500 mg



Indication –

1. Diabetic nephropathy
2. Radiocontrast Induced Nephropathy
3. Paracetamol Poisoning
4. Mucolytic

Mechanism of action –

1. **Diabetic Nephropathy** – Possible mechanism of actions - Attenuates UACR (Urinary Albumin/ Creatinine Ratio) and sTGF β 1 (Serum Transforming Growth Factor b1) levels in microalbuminuria type 2 diabetes
2. **Radiocontrast induced Nephropathy** – Vasoconstriction is a contributing factor in RCIN- NAC has an important role in vasodilation and hence to some degree helps in radiocontrast induced nephropathy.
3. **Paracetamol Poisoning** – Promotes detoxification of an intermediate which helps reduce the intensity of effect of over dosage of paracetamol.
4. **Mucolytic** - May decrease the viscosity of secretions by splitting of disulphide bonds in mucoproteins

Dosage –

1. **Mucolytic** - TID
2. **Paracetamol Poisoning** – 140 mg/kg followed by maintenance doses of 70 mg/kg every day for 4 hr for a total of 17 doses
3. **Diabetic Nephropathy** – 3 - 4 tablets a day
4. **RICN** – 600 -1200 mg per day for 2 days

Administration – Preferably taken with food

Advantages –

1. Prevents glomerular damage in diabetes
2. Prevents deterioration in microalbuminuria
3. Taurine may exert a beneficial effect in preventing diabetes associated micorangiopathy
4. Improves Residual Renal Function in chronic hemodialysis patient
5. Induces significant decrease in homocysteine level during dialysis

La Renon Healthcare

208-ISCON Elegance | Circle P | Prahlad Nagar Cross Roads
S.G.Highway | Ahmedabad - 380015 | Gujarat | India.
Phone: +91-79-3046-1000 (30 Lines) | Fax: +91-79-3046-1001
E-Mail: info@larenon.com | www.larenon.com

I am _____

Call me on _____

Mail me at _____