

La Renon

A Robust Combination

**BENFOTIAMINE
200 MG**


**TABLET
FORMULATION**

NUHENZ FORTE

Benfotiamine 200 mg, Methylcobalamin 1500 mcg, Alpha Lipoic Acid 200 mg, Folic Acid 1.5 mg, Chromium Picolinate 200 mcg, Myo-Inositol 100 mg & Pyridoxine Hydrochloride 3 mg Tablets

NUIHENZ FORTE

Benfotiamine 200 mg, Methylcobalamin 1500 mcg, Alpha Lipoic Acid 200 mg, Folic Acid 1.5 mg, Chromium Picolinate 200 mcg, Myo-Inositol 100 mg & Pyridoxine Hydrochloride 3 mg Tablets



1. Neurology. 2001 May 8;56(9):1188-94
2. Int J Clin Pharmacol Ther. 2005 Feb;43(2):71-7.
3. Medical Hypotheses.2000; 54(5);803-807
4. J Psychiatr Pract. 2005 Sep;11(5):302-14.
5. Free Radiac Biol Med. 1997;22(1-2):359-78.
6. Altern Med Rev. 2007 Mar;12(1):9-24.
7. Neurology. 2001 May 8;56(9):1188-94.

Composition	
Benfotiamine	200 mg
Alpha lipoic Acid	200 mg
Methylcobalamin	1500 mcg
Pyridoxine HCL	3 mg
Folic Acid	1.5 mg
Myo-Inositol	100 mg
Chromium Picolinate	200 mcg

NUHENZ FORTE

Benfotiamine 200 mg, Methylcobalamin 1500 mcg, Alpha Lipoic Acid 200 mg, Folic Acid 1.5 mg, Chromium Picolinate 200 mcg, Myo-Inositol 100 mg & Pyridoxine Hydrochloride 3 mg Tablets

Description:

NUHENZ FORTE is a multivitamin preparation that contains Methylcobalamin, Benfotiamine, Alpha Lipoic Acid, Folic acid, Chromium Picolinate, Myo-Inositol & Pyridoxine Hydrochloride available in Tablet form.

Indication:

- ✦ Neurodegenerative Disease
- ✦ Diabetic Neuropathy
- ✦ Neuropsychiatric Disorder

Clinical Evidence:

1. Benfotiamine reduces tissue Advanced Glycation End Products formation and oxidative stress.¹
2. Methylcobalamin protects retinal neurons against neurotoxicity and has a positive psychotropic alerting effect.^{2,3}
3. Alpha Lipoic Acid is effective in numerous degenerative disorder and powerful naturally occurring anti-oxidant.⁴
4. Folic acid is relevant in prevention of Alzheimer's disease and cognitive improvement.⁵
5. Elemental chromium is beneficial for patients with a typical depression who also have severe carbohydrate craving.⁶
6. Inositol is effective in Depression, panic and obsessive-compulsive disorder. Inositol is also able to reduce the metabolic and clinical alteration of PCOS.^{7,8}
7. Pyridoxine benefits in treating premenstrual symptoms and premenstrual Depression. It is effective in relieving the severity of nausea in early pregnancy. It is also useful as an anti-stress strategy.^{9,10,11}

Dosage:

One tablet a day or as directed by the Physician.

References

1. Diabetes. 2000 May 1;49(Suppl 1):583. | 2. Neuropsychopharmacology. 1996 Nov;15(5):456-64. | 3. Ophthalmol. Vis. Sci. April 1997 vol. 38 no. 5 848-854 | 4. Free Radic Biol Med. 1997;22(1-2):359-78.
5. Neurology. 2001 May 8;56(9):1188-94. | 6. Journal of Psychiatric Practice®. 2005 Sep 1;11(5):302-14. | 7. Eur Rev Med Pharmacol Sci. 2012 May;16(5):575-81. | 8. Am J Psychiatry. 1996 Sep;153(9):1219-21.
9. Medical Hypotheses. 2000 May 1;54(5):803-7. | 10. Bmj. 1999 May 22;318(7195):1375-81. | 11. American journal of obstetrics and gynecology. 1995 Sep 1;173(3):881-4.